

BRIEF SPECIFICATIONS

(1) ENTRANCE FOYER: POLISHED GRANITE STONE OF APPROVED SHADE.
(2) ENTRANCE STEPS: FLAMED GRANITE STONE OF APPROVED SHADE.

(3) ENTRANCE LOBBY: GRANITE STONE

(4) ALL ROOMS : 600 X 600 VITRIFIED TILES OF APPROVED SHADES

(5) LIFT LOBBY: ANTI SKID VITRIFIED TILES.

(6) TOILETS : FLOOR- 300 X 300 - ANTI SKID CERAMIC TILE

DADOING - 300 X 450 - GLAZED (CONCEPT) CERAMIC TILE.
COUNTERS - 19MM THK, POLISHED GRANITE OF APPR. SHADE.
(7) STAIRCASE: RISERS AND TREADS TO BE OF GRANITE STONE OF SINGLE

PIECE OF APPROVED SHADE.

B. DOORS & WINDOWS.

(1) MAIN DOOR: POWDER COATED ANODISED GLAZED AL. DOOR. (COLOUR AS PER APPROVED SHADE)

ALL OTHER DOOR SHALL BE RCC FRAMED DOOR WITH FLUSH SHUTTER WITH ONE SIDE VENEERING. TOILET DOOR SHALL BE OF P.V.C FRAMED

.....

(2) WINDOWS: 3 TRACK SLIDING POWDER COATED GLAZED AL, WINDOWS WITH MESH SHUTTER

(1) STAIRCASE RAILINGS/ COURTYARD: S.S RAILING AS PER DETAIL.

(1) INTERNAL: PLASTIC EMULSION WITH LOW VOC PAINTS OVER A CEMENT BASEDPUTTY.

WEATHER PROOF ACRYLIC PAINT OF ASIAN OR EQ. OVER A TEXTURED FINISH.

E. FALSE CEILING: ENTRANCE LOBBY / WAITING LOUNGE /RECEPTION SHALL HAVE CALCIUM SILICATE TILES.

F. PROVISION SHALL BE MADE FOR LANDSCAPING, MURAL, LED LIGHTING, SOLAR WATER HEATING AND SOLAR STREET LIGHTING

NOTE:

THIS DRAWING IS PREPARED BASED ON THE MINUTES OF MEETING OF SUB -COMMITTEE OF IOE INFRASTRUCTURE COMMITTEE HELD ON 25.10.2021 IN THE OFFICE OF DEAN, SCHOOL OF LIFE SCIENCES.

PLINTH AREA STATEMENT (in Sq.m)

GROUND FLOOR - 1001.28

1ST FLOOR - 976.46

2ND FLOOR - 1062.78

Total - 3040.52 sqm.

NOTES:

*सभी माप केवल मिलीमीटर (लेआउट प्लान- मीटर माप में)

में दिए गए हैं।

में लाया जाए ।

*केवल लखिति डायमेन्शन्स को पालन करें । *इस डराइंग में यदि कोई वसिंगति हो तो उसे

क्रयान्वयन से पहले वरिष्ठ वास्तुक (हैदराबाद) के नोटसि

*ALL DIMENSIONS ARE IN MILLIMETRE

*ONLY WRITTEN DIMENSIONS SHELL BE FOLLOWED.

*ALL DIMENSIONS SHALL BE CHECKED AT SITE

*IF ANY DISCREPANCY IN THE DRAWING, SHALL BE BROUGHT TO THE NOTICE OF THIS SR.ARCHITECT BEFORE THE EXECUTION OF WORK.



वरष्ठि वास्तुक , के.लो.नि वि , हैदाराबाद SENIOR ARCHITECT (HYD—I) , C.P.W.D., HYDERABAD. तक्षिरि मंजलि , निमान म वन ,कोटी , हैदाराबाद . 3RD FLOOR, NIRMAN BHAWAN, KOTI, HYDERABAD.

DRG No:14429 /SA(HYD-I)/715-HRDC/PD/02 संशोधन सं -

सकेल :
SCALE : 1: 200
दिनिक :
DATE : OCT 2021

FISER से :
CENTRE AT UNIVERSITY OF HYDERABAD

FILE NO : 715 - HRDC

आरेखक:
DEALT : Lakshmi Devi

FIRST FLOOR PLAN

PREL. DRG.

स.क.आषा श्री.वी. रमाना राव टी. स. विकातनहार S.K.BASHA D.V.Ramana Rao वास्तुक वास्तुक वास्तुक वास्तुक वास्तुक वास्तुक उत्तर सहामदिशक SST.ARCHITECT ARCHITECT SENIOR ARCHITECT ADG.HVD. REGION